



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

generation number and versions

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#)

generation number and versions Found
Terms used: 17,951 of
generation number versions 239,274

Sort
results
by

relevance

Display
results

expanded form



[Save](#)

[results](#)

[to a](#)

[Binder](#)



[Open](#)
results
in a new
window

[Refine](#)
[these](#)
[results](#)
[with](#)

[Advanced](#)

[Search](#)

[Try this](#)
[search](#)
[in](#)

[The](#)

[ACM](#)

[Guide](#)

Results 1 - 20 of 17,951 Result page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

>>

1 [Mostly C. challenges in LEGO® RCX code generation](#)



Robert P. Cook

March ACM-SE 44: Proceedings of the 44th annual Southeast regional conference
2006

Publisher: ACM

Full text available: [pdf\(145.94](#)



KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we describe the challenges of generating code for the LEGO® RCX microcomputer controller. The compiler improves on the widely used NQC (not-quite C) compiler with the addition of new data types, procedures, unions, and a math library.

Keywords: C compiler, LEGO® RCX

2 Dynamic test input generation for database applications



Michael Emmi, Rupak Majumdar, Koushik Sen

July I SSTA '07: Proceedings of the 2007 international symposium on Software testing and analysis

Publisher: ACM

Full text available:  [pdf\(219.99](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe an algorithm for automatic test input generation for database applications. Given a program in an imperative language that interacts with a database through API calls, our algorithm generates both input data for the program as well as suitable ...

Keyw ords: automatic test generation, concolic testing, database applications, directed random testing


3 Multigrain parallel Delaunay Mesh generation: challenges and opportunities for multithreaded architectures



Christos D. Antonopoulos, Xiaoning Ding, Andrey Chernikov, Filip Blagojevic, Dimitrios S. Nikolopoulos, Nikos Chrisochoides

June I CS '05: Proceedings of the 19th annual international conference on Supercomputing

Publisher: ACM

Full text available:  [pdf\(430.43](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

Given the importance of parallel mesh generation in large-scale scientific applications and the proliferation of multilevel SMT-based architectures, it is imperative to obtain insight on the interaction between meshing algorithms and these systems. We ...


4 Case studies on fault detection effectiveness of model based test generation techniques



Amit Paradkar

May A-MOST '05: Proceedings of the 1st international workshop on Advances in model-based testing

Publisher: ACM

Full text available:  [pdf\(94.82](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)


Model-based test generation (MBTG) is becoming an area of active research. These techniques differ in terms of (1) modeling notations used, and (2) the adequacy criteria used for test generation. This paper (1) reviews different classes of MBTG techniques ...

5 [Model generation of test logic for macrocell based designs](#)

E. de la Torre, J. Calvo, J. Uceda

September EURO-DAC '96/ EURO-VHDL '96: Proceedings of the conference on
1996 European design automation

Publisher: IEEE Computer Society Press

Full text available:  [pdf\(78.63](#)

[KB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)


6 [A framework for automatic generation of evolvable e-commerce workplaces using business processes](#)



Ying Zou, Qi Zhang

May ICSE '06: Proceeding of the 28th international conference on Software
2006 engineering

Publisher: ACM

Full text available:  [pdf\(176.80](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Business processes encapsulate the knowledge of operations and services provided by organizations. Due to the changing nature of business processes, the design and implementation of e-commerce applications, such as workplace applications, could not be ...

Keyw ords: business process, e-commerce applications, software engineering, software evolution, user interface design


7 [Using web helper agent profiles in query generation](#)



Gabriel L. Somlo, Adele E. Howe

July AAMAS '03: Proceedings of the second international joint conference on
2003 Autonomous agents and multiagent systems

Publisher: ACM

Full text available:  [pdf\(154.84](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#)

Personalized information agents can help overcome some of the limitations of communal Web information sources such as portals and search engines. Two important components of these agents are: user profiles and information filtering or gathering services. ...


Keywords: information agents, query generation, user modeling

8 [An automated technique for topology and route generation of application specific on-chip interconnection networks](#)

K. Srinivasan, K. S. Chatha, G. Konjevod

May 1 ICCAD '05: Proceedings of the 2005 IEEE/ACM International conference on 2005 Computer-aided design


Publisher: IEEE Computer Society

Full text available:  [pdf\(235.14 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Network-on-chip (NoC) has been proposed as a solution to the communication challenges of system-on-chip (SoC) design in nanoscale technologies. Application specific SoC design offers the opportunity for incorporating custom NoC architectures that are ...

9 [The impact of input domain reduction on search-based test data generation](#)

 Mark Harman, Youssef Hassoun, Kiran Lakhota, Phil McMinn, Joachim Wegener

September 2007 ESEC-FSE '07: Proceedings of the the 6th joint meeting of the European software engineering conference and the ACM SIGSOFT symposium on The foundations of software engineering

Publisher: ACM

Full text available:  [pdf\(502.57 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

There has recently been a great deal of interest in search-based test data generation, with many local and global search algorithms being proposed. However, to date, there has been no investigation of the relationship between the size of the input domain ...

Keywords: automated test data generation, evolutionary testing, genetic algorithms, hill climbing, input domain reduction, search space reduction

10 [Efficient runtime generation of association rules](#)

 Richard Relue, Xindong Wu, Hao Huang

October 2001 CIKM '01: Proceedings of the tenth international conference on Information and knowledge management

Publisher: ACM

Full text available:  [pdf\(1.19 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Mining frequent patterns in transaction databases has been a popular subject in data mining research. Common activities include finding patterns in database transactions, times-series, and exceptions. The Apriori algorithm is a widely accepted method ...


11 A comparative analysis of two concepts in the generation of uniform pseudo-random numbers



George C. Canavos

January Proceedings of the 1967 22nd national conference
1967

Publisher: ACM

Full text available:  [pdf\(1.08 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

In recent years, considerable attention has been given to find reliable methods capable of producing, within a digital computer, pseudo-random numbers obeying the uniform distribution on the unit interval. Apparently, the most popular method has been ...

12 Simulation-based automatic generation of signomial and posynomial performance models for analog integrated circuit sizing

Walter Daems, Georges Gielen, Willy Sansen

November ICCAD '01: Proceedings of the 2001 IEEE/ACM international conference
2001 on Computer-aided design

Publisher: IEEE Press

Full text available:  [pdf\(163.89 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

This paper presents a method to automatically generate posynomial response surface models for the performance parameters of analog integrated circuits. The posynomial models enable the use of efficient geometric programming techniques for circuit sizing ...


Key words: analog circuit modeling, design of experiments, geometric programming, posynomial and signomial response surface modeling

13 Simplifying parser generation

Gabriel J. Ferrer

May Journal of Computing Sciences in Colleges, Volume 22 Issue 5
2007

Publisher: Consortium for Computing Sciences in Colleges

Full text available:  [pdf\(128.89 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes Squirrel, a parser generator that uses a modification of the Packrat algorithm [7]. Squirrel is designed to avoid many of the complexities often associated with parser generators. Students in a CS3 course were able to learn to use ...

14 [Feedback-Directed Random Test Generation](#)

Carlos Pacheco, Shuvendu K. Lahiri, Michael D. Ernst, Thomas Ball

May I CSE '07: Proceedings of the 29th International Conference on Software Engineering

Publisher: IEEE Computer Society

Full text available:  [pdf\(275.21 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

We present a technique that improves random test generation by incorporating feedback obtained from executing test inputs as they are created. Our technique builds inputs incrementally by randomly selecting a method call to apply and finding arguments ...

15 [Integrating automated test generation into the WYSIWYT spreadsheet testing methodology](#)



Marc Fisher, II, Gregg Rothermel, Darren Brown, Mingming Cao, Curtis Cook, Margaret Burnett

April ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 15 Issue 2

Publisher: ACM

Full text available:  [pdf\(1.94 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Spreadsheet languages, which include commercial spreadsheets and various research systems, have had a substantial impact on end-user computing. Research shows, however, that spreadsheets often contain faults. Thus, in previous work we presented a methodology ...

Keywords: End-user software engineering, end-user programming, test case generation, testing

16 [Exploiting conditional instructions in code generation for embedded VLIW processors](#)



Rainer Leupers

January DATE '99: Proceedings of the conference on Design, automation and test in Europe

Publisher: ACM

Full text available:  [pdf\(83.99 KB\)](#)


Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

17 [The Generation Gap](#)

Brian Marshall

April 2000 Linux Journal, Volume 2000 Issue 72es

Publisher: Specialized Systems Consultants, Inc.

Full text available:  [html\(15.29 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper examines the issues involved with the use of open-source software components in closed-source applications.


18 [Automatic generation of program specifications](#)



Jeremy W. Nimmer, Michael D. Ernst

July ISSA '02: Proceedings of the 2002 ACM SIGSOFT international symposium on 2002 Software testing and analysis

Publisher: ACM

Full text available:  [pdf\(154.41 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Producing specifications by dynamic (runtime) analysis of program executions is potentially unsound, because the analyzed executions may not fully characterize all possible executions of the program. In practice, how accurate are the results of a dynamic ...


19 [Self-configuring network traffic generation](#)



Joel Sommers, Paul Barford

October IMC '04: Proceedings of the 4th ACM SIGCOMM conference on Internet 2004 measurement

Publisher: ACM

Full text available:  [pdf\(1.22 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

The ability to generate repeatable, realistic network traffic is critical in both simulation and testbed environments. Traffic generation capabilities to date have been limited to either simple sequenced packet streams typically aimed at throughput testing, ...

Keywords: network flows, traffic generation

20 [Systematic topology analysis and generation using degree correlations](#)



Priya Mahadevan, Dmitri Krioukov, Kevin Fall, Amin Vahdat

August ACM SIGCOMM Computer Communication Review, Volume 36 Issue 4
2006

Publisher: ACM

Full text available:  [pdf\(723.00](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

Researchers have proposed a variety of metrics to measure important graph properties, for instance, in social, biological, and computer networks. Values for a particular graph metric may capture a graph's resilience to failure or its routing efficiency. ...

Keyw ords: degree correlations, network topology

Results 1 - 20 of 17,951 Result page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

[>>](#)

The ACM

Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)